ELSEVIER

Volume 310, Numbers 1–2, 28 September 2000

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Preface 1
F. Povolo and É.B. Hermida

The Bordoni maximum and the Peierls energy: Lecture on receiving the Zener medal 2
G. Schoeck (Vienna, Austria)

Amorphous, ceramics and high Tc superconductors

Mechanical spectroscopy of the high-temperature brittle-to-ductile transition in ceramics and cermets 7
R. Schaller (Lausanne, Switzerland)

Relaxational lattice dynamics in $La_{2-x}Sr_xCuO_4$ and possible connection with the stripes in cuprate superconductors 16
F. Cordero, R. Cantelli (Roma, Italy) and M. Ferretti (Genova, Italy)

The shear modulus of bulk amorphous $Pd_{40}Ni_{40}P_{20}$ and its relation to viscosity and specific heat 20
A.S. Bains, C.A. Gordon, A.V. Granato (Urbana, IL, USA) and R.B. Schwarz (Los Alamos, NM, USA)

Damping of water infiltrated nanoporous glass 24
J.C.M. Li (Rochester, NY, USA)

Ultrasound studies of phase transitions in tungsten bronze ferroelectric materials 29
A. Moreno Gobbi, M. Pérez, G. Paolini, C.A. Negreira (Montevideo, Uruguay), D. García and J. Eiras (São Carlos, Brazil)

Relaxation mechanisms and microstructure in glass and glass-ceramics 32
L. Arnault and A. Rivière (Futuroscope Chasseneuil, France)

Silicon nitrides studied by isothermal mechanical spectroscopy 36
B. Doen, P. Gadaud and A. Rivière (Futuroscope Chasseneuil, France)

Fatigue resistant silicon nitride ceramics due to anelastic deformation and energy dissipation 39
G. Roebben (Heverlee, Belgium), L. Donzel (Lausanne, Switzerland), M. Steen (Petten, The Netherlands), R. Schaller (Lausanne, Switzerland) and O. Van der Biest (Heverlee, Belgium)

Magnetic held dependence of elastic modulus and resistance in $La_{2/3}Ca_{1/3}MnO_3$ 44
H.R. Salva, A.A. Ghilarducci, R.D. Sánchez (Bariloche, Argentina) and C. Vázquez (Santiago, Spain)

Mechanical loss of cubic zirconia 47
M. Weller, B. Damson and A. Lakki (Stuttgart, Germany)

Internal friction of the glassy tektites 54
C. Wert (Urbana, IL, USA) and M. Weller (Stuttgart, Germany)

Transport and ultrasonic properties in $La_{0.67}Sr_{0.33}Mn_{0.87}Fe_{0.13}O_3$ perovskite 59
C. Zhu, R. Zheng, J. Zhang, X. Li, J. Su and Z. Zhu (Anhui, PR China)

Dislocations and their interactions with lattice imperfections

Influence of the interaction between dislocations and mobile point-defects on the damping spectrum of aluminium 62
Ø. Bremnes, B. Carreño-Morelli and G. Gremaud (Lausanne, Switzerland)

Influence of plastic deformation on the velocity and ultrasonic attenuation of copper single crystals 68
J.A. Eiras (São Carlos, Brazil)

Experimental study of the nonlinear internal friction peaks in Al–Mg solid solutions 72
Q.F. Fang and C.C. Wang (Hefei, PR China)

Theory of the nonlinear internal friction associated with bulk diffusion of solute atoms around dislocations in Al–Mg alloys . 76
Q.F. Fang and R. Wang (Hefei, People's Republic of China)

Elsevier Science S.A.

Core structure and mobility of an edge dislocation in aluminum 80
R. Wang and Q.F. Fang (Hefei, People's Republic of China)

Non-linear anelasticity due to dislocation–solute atom interactions in solid solutions 85
G. Gremaud (Lausanne, Switzerland) and S. Kustov (Lausanne, Switzerland and St. Petersburg, Russia)

Temperature dependence of the viscoelastic response of In, Sn and In–Sn alloys 91
É.B. Hermida (San Martín and Buenos Aires, Argentina), D.G. Melo, J.C. Aguiar and D.E. López (Buenos Aires, Argentina)

Computer experiment on propagation of solitons in crystals 97
S. Ozawa, Md.M.A. Joarder, A. Minato (Hitachi, Japan) and Y. Hiki (Tokyo, Japan)

Internal friction and Young's modulus of V–Ti–Cr alloy before, during and after proton irradiation 102
B.K. Kardashev (St. Petersburg, Russia), V.M. Chernov (Moscow, Russia), O.A. Plaskin, V.A. Stepanov (Obninsk, Russia) and L.P. Zavialski (Moscow, Russia)

Determination of the pre-exponential factor and the activation energy for the low-temperature dislocation relaxation in aluminum 107
H. Koizumi, T. Koizumi (Kawasaki, Japan) and T. Kosugi (Higashi-Hiroshima, Japan)

Theory of dislocation tunneling through a pinning point 111
T. Kosugi (Higashi-Hiroshima, Japan), D. McKay and A.V. Granato (Urbana-Champaign, IL, USA)

Comparison between the ultrasonic and the low frequency Bordoni peaks in copper 115
A. Moreno-Gobbi (Montevideo, Uruguay), A. Ghilarducci (Bariloche, Argentina) and J.A. Eiras (São Carlos, Brazil)

Analysis of the internal friction spectra of high purity aluminium at medium temperatures 119
I. Gallego, M.L. Nó and J. San Juan (Bilbao, Spain)

Dislocation contribution to modulus defect in nanocrystalline pure metals 124
S. Okuda (Ibaraki, Japan)

Influence of ageing on the internal friction of magnesium 127
W. Riehemann and F. Abed El-Al (Clausthal-Zellerfeld, Germany)

Internal friction of Cu–CuAlO alloys 131
J.P. Ngantcha and A. Rivière (Futuroscope Chasseneuil, France)

Internal friction of γ-TiAl alloys at high temperature 134
M. Weller, A. Chatterjee (Stuttgart, Germany), G. Haneczok (Katowice, Poland) and H. Clemens (Stuttgart, Germany)

Ultrasonic studies on a low temperature attenuation peak in L-arginine phosphatemonohydrate single crystal 139
J.R. Su, Z.G. Zhu (Hefei, PR China), C.F. Zhu (U.S.T.C., PR China), D. Xu and D.R. Yuan (Shandong, PR China)

Elastic, electric and magnetic effects

Vibrating ferromagnets in a magnetic field 144
E. Gaganidze, P. Esquinazi (Leipzig, Germany) and M. Ziese (Sheffield, UK)

Amplitude dependent damping in HgI_2 wide band gap semiconductor 153
B.K. Kardashev (St. Petersburg, Russia)

Magnetomechanical damping in Fe–Cr alloys and effect of Al and Mo addition 160
Ch. Azcoïtia and A. Karimi (Lausanne, Switzerland)

Microeddy current damping 165
D.N. Beshers (New York, NY, USA)

Magneto-mechanical damping and ΔE-effect in ferritic steel at different levels of ultrasound strain amplitudes 169
B.K. Kardashev (St. Petersburg, Russia), K. Van Ouytsel (Mol, Belgium) and R. De Batist (Antwerp, Belgium)

Low frequency relaxation effect observed on 2024 aluminium alloy 173
A. Rivière and V. Pelosin (Futuroscope Chasseneuil, France)

Ultrasonic investigation of elastic phase transitions in betaine compounds 176
V. Samulionis, J. Banys (Vilnius, Lithuania) and G. Völkel (Leipzig, Germany)

Nonlinear electromechanical behaviour of KDP near its phase transition 181
U. Straube and H. Beige (Halle/Saale, Germany)

Mechanical spectroscopy of quasicrystals 184
B. Damson, M. Weller (Stuttgart, Germany), M. Feuerbacher, B. Grushko and K. Urban (Jülich, Germany)

Hydrogen in metals and semiconductors

Hydrogen diffusion in titanium and zirconium hydrides 190
H. Wipf, B. Kappesser and R. Werner (Darmstadt, Germany)

Low temperature relaxations associated with quantum tunnelling of H in Sc and Y 196
F. Trequattrini (Roma, Italy), G. Cannelli (Calabria, Italy), R. Cantelli, F. Cordero (Roma, Italy) and O. Florencio (São Carlos, Brazil)

Hydrogen-probe mechanical spectroscopy for studying local ordering in concentrated substitutional alloy 200
Yu. Jagodzinski (Kiev, Ukraine), H. Hänninen, S. Smuk (Helsinki, Finland) and O. Tarasenko (Kiev, Ukraine)

Grain boundary relaxation of hydrogen precharged mild and Cr steels 205
E. Lunarska (Warsaw, Poland), Y. Jagodzinki (Kiev, Ukraine) and K. Nikiforow (Warsaw, Poland)

H-induced C–Cr cluster redistribution in MANET steel 209
S. Alberici (Jühlich, Germany), R. Montanari and M.E. Tata (Roma, Italy)

Precipitation and dissolution peaks of hydride in Zr–2.5Nb during quasistatic thermal cycles 214
Z.L. Pan (Chalk River, Canada) and M.P. Puls (Mississauga, Canada)

Types of mechanical relaxation by hydrogen in intermetallic compounds 219
H.-R. Sinning, R. Scarfone and G. Steckler (Braunschweig, Germany)

Local structure of metallic glasses as seen by mechanical hydrogen relaxation 224
H.-R. Sinning (Braunschweig, Germany)

A mechanical spectroscopy study of the $Zr_{69.5}Cu_{12}Ni_{11}Al_{7.5}$ alloy 229
R. Scarfone and H.-R. Sinning (Braunschweig, Germany)

New experimental techniques and technological applications

High precision measurement of torsion fiber internal friction at cryogenic temperatures 233
M.K. Bantel and R.D. Newman (Irvine, CA, USA)

Resonant ultrasound spectroscopy: applications, current status and limitations 243
R.B. Schwarz and J.F. Vuorinen (Los Alamos, NM, USA)

A chemical sensor based on internal friction 251
R.A. Kant, C.L. Daly (Washington, DC, USA) and H.-D. Wu (Largo, MD, USA)

Internal friction study of environmental effects on metals and alloys 256
Yu. Jagodzinski (Kiev, Ukraine), P. Aaltonen, S. Smuk (Helsinki, Finland), O. Tarasenko (Kiev, Ukraine) and H. Hänninen (Helsinki, Finland)

An approach to higher damping capacity based on a control theory strategy 261
H. Kawabe (Hiroshima, Japan) and K. Yoshida (Matsue, Japan)

Sphere on a vibrating reed for measurements of turbulence in superfluid helium 265
J. Luzuriaga (Bariloche, Argentina)

Application of the wavelet transform in mechanical spectroscopy and in Barkhausen noise analysis 269
L.B. Magalas (Kraków, Poland)

Effectiveness of new spectral tools in the anomaly detection of rolling element bearings 276
J. Piñeyro, A. Klempnow and V. Lescano (Buenos Aires, Argentina)

Internal friction and loss tangent of nonlinear viscoelastic materials: different concepts, different results 280
É.B. Hermida, F. Povolo (San Martín and Buenos Aires, Argentina) and P. Porta (Haedo, Argentina)

The innovative impulse excitation technique for high-temperature mechanical spectroscopy 284
G. Roebben, B. Basu, J. Vleugels, J. Van Humbeeck and O. Van der Biest (Heverlee, Belgium)

Anelastic relaxation in semi-insulating InP 288
G. Cannelli (Cosenza, Italy), R. Cantelli, F. Cordero (Roma, Italy), G.M. Guadalupi, B. Molinas (Porto Marghera, Italy), O. Palumbo and F. Trequattrini (Roma, Italy)

Phase transformations

Internal friction and elastic properties of the high pressure-induced phases of solid C_{60} 292
Ya.M. Soifer, N.P. Kobelev (Chernogolovka, Russia) and V.M. Levin (Moscow, Russia)

Effect of thermal cycling through the martensitic transition on the internal friction and Young's modulus of a $Ni_{50.8}Ti_{49.2}$ alloy 300
B. Coluzzi, A. Biscarini, R. Campanella, G. Mazzolai, L. Trotta and F.M. Mazzolai (Perugia, Italy)

Towards understanding anelasticity of the β_1' martensitic phase of Cu–Al–Ni 306
S. Kustov (St. Petersburg, Russia and Lausanne, Switzerland), S. Golyandin, K. Sapozhnikov (St. Petersburg, Russia), J. Van Humbeeck (Leuven, Belgium) and R. De Batist (Antwerp, Belgium)

Structural anelasticity of NiTi during two-stage martensitic transformation 312
S. Golyandin (St. Petersburg, Russia), S. Kustov (St. Petersburg, Russia and Lausanne, Switzerland), K. Sapozhnikov (St. Petersburg, Russia), M. Parlinska, R. Gotthardt (Lausanne, Switzerland), J. Van Humbeeck (Heverlee, Belgium) and R. De Batist (Antwerp, Belgium)

Elastic constant softening and martensite nucleation in a CuZnAl single crystal 318
G. Mazzolai, A. Biscarini, R. Campanella, B. Coluzzi and F.M. Mazzolai (Perugia, Italy)

Influence of high-energy impact actions on the elastic and anelastic properties of martensitic Cu–Al–Ni crystals 324
Yu. Emel'lyanov, S. Golyandin (St. Petersburg, Russia), N. Kobelev (Chernogolovka, Russia), S. Kustov (St. Petersburg, Russia and Lausanne, Switzerland), S. Nikanorov, G. Pugachev, K. Sapozhnikov, A. Sinani (St. Petersburg, Russia), Ya.M. Soifer (Chernogolovka, Russia), J. Van Humbeeck (Leuven, Belgium) and R. De Batist (Antwerp, Belgium)

Cu–13.2Al–3Ni (wt%) single crystal studied by isothermal mechanical spectroscopy 330
G. Covarel, V. Pelosin and A. Rivière (Futuroscope Chasseneuil, France)

Analysis of the internal friction spectra during martensitic transformation by a new temperature rate method 334
R.B. Pérez-Sáez (Bilbao, Spain), V. Recarte (Pamplona, Spain), M.L. Nó and J. San Juan (Bilbao, Spain)

Internal friction of Ti–Ni alloys 339
I. Yoshida, T. Ono (Fukushima, Japan) and M. Asai (Yokohama, Japan)

Point defects

Anelastic relaxation due to interstitial solute atoms in face-centred cubic metals 344
H. Numakura, K. Kashiwazaki, H. Yokoyama and M. Koiwa (Kyoto, Japan)

Upward modulus trend in NiAl and NiFeAl single crystals 351
E. Bonetti, E.G. Campari, A. Casagrande, L. Pasquini and E. Sampaolesi (Bologna, Italy)

Interstitial distribution in Fe–Al and Fe–Cr quenched and aged alloys: Computer simulation and internal friction study 356
I.S. Golovin (Moscow, Russia)

Polymers and composites

Dynamics in polymer–liquid crystal microcomposites studied by low frequency mechanical spectroscopy 363
S. Etienne (Nancy, France), L. David (Villeurbanne, France), P. Sixou and C. Laye (Nice, France)

Dielectric properties of polymer-based microheterogeneous insulator 368
S. Etienne, C. Stochmil (Nancy, France) and J.L. Bessède (Villeurbanne, France)

Dynamical properties of epoxy composites filled with quartz powder 374
S.N. Goyanes, J.D. Marconi, P.G. König (Buenos Aires, Argentina), M.D. Martin and I. Mondragon (San Sebastián/Donostia, Spain)

Shear viscosity of inorganic glasses and polymers 378
Y. Hiki (Tokyo, Japan), H. Kobayashi (Tsukuba, Japan) and H. Takahashi (Hitachi, Japan)

Glass–rubber phase transformation detected in polymers by means of ultrasonic waves 382
V.A.M. Luprano, G. Montagna (Brindisi, Italy), B. Molinas (Porto Marghera, Italy) and A. Maffezzoli (Lecce, Italy)

Glass transition temperature measured at high frequencies by piezoelectric excitation 388
F. Povolo (San Martín and Buenos Aires, Argentina), G. Jorge (Buenos Aires, Argentina) and É.B. Hermida (San Martín and Buenos Aires, Argentina)

Measurement of the elastic modulus of dental pieces 392
F. Povolo and É.B. Hermida (San Martín and Buenos Aires, Argentina)

Internal friction in microcrystalline magnesium reinforced by alumina particles 396
Z. Trojanová (Praha, Czech Republic), W. Riehemann, H. Ferkel (Clausthal-Zellerfeld, Germany) and P. Lukáč (Praha, Czech Republic)

Steels

Elastic and anelastic properties of Marval 18 steel 400
F. Cordero, F. Corvasce, R. Franco, G. Paparo, E. Maiorana, P. Rapagnani, F. Ricci, S. Braccini, C. Casciano, R. De Salvo, F. Frasconi, R. Passaquieti (Rome, Italy), M. De Sanctis, A. Solina and R. Valentini (Pisa, Italy)

Effect of dislocation density on the low temperature aging behavior of an ultra low carbon bake hardening steel 405
A.K. De (Ghent, Belgium), K. De Blauwe, S. Vandeputte (Zelzate, Belgium) and B.C. De Cooman (Ghent, Belgium)

Anelastic effects connected with isothermal martensitic transformations in 24Ni4Mo austenitic and 12Cr9Ni4Mo maraging steels 411
I.S. Golovin (Moscow, Russia), J.-O. Nilsson (Sandviken, Sweden), G.V. Serzhantova and S.A. Golovin (Tula, Russia)

The Finkelshtain–Rosin effect in deformed f.c.c. steels 418
M.S. Blanter, I.S. Golovin (Moscow, Russia), R. De Batist (Antwerp, Belgium) and S.A. Golovin (Tula, Russia)

Dislocation damping after plastic deformation in interstitial-free and carbon steels 423
W. Johnson (Boulder, CO, USA)

Laser–ultrasonic absorption measurements in low carbon steels 427
A. Moreau, M. Lord, D. Lévesque, M. Dubois and J.F. Bussière (Boucherville, Canada)

Snoek relaxation in a copper-precipitated alloy steel 432
H. Ogi (Osaka, Japan and Boulder, CO, USA), H. Ledbetter and S. Kim (Boulder, CO, USA)

In-situ monitoring of ultrasonic attenuation during rotating bending fatigue of carbon steel with electromagnetic acoustic resonance 436
H. Ogi (Osaka, Japan and Boulder, CO, USA), T. Hamaguchi (Boulder, CO, USA) and M. Hirao (Osaka, Japan)

Ultrasonic attenuation monitoring of fatigue damage in low carbon steels with electromagnetic acoustic resonance (EMAR) . . 440
T. Ohtani (Kanagawa, Japan), H. Ogi, Y. Minami and M. Hirao (Osaka, Japan)

Dislocation-defect interactions in nuclear reactor pressure-vessel steels investigated by means of internal friction 445
K. Van Ouytsel (Mol and Brussels, Belgium), R. De Batist (Antwerp, Belgium) and R. Schaller (Lausanne, Switzerland)

Thin films

Anelastic properties of aluminium thin films on silicon cantilevers 449
U. Harms, F. Klose, H. Neuhäuser, K. Fricke, E. Peiner and A. Schlachetzki (Braunschweig, Germany)

Mechanical spectroscopy and structural evolution of CuMo thin films 454
V. Pelosin, V. Branger, P. Goudeau, A. Rivière and F. Badawi (Futuroscope, France)

Internal friction of Ni and Fe covered with mineral oil films 457
D. Samatowicz (Gdansk, Poland)

Author Index of Volume 310 463

Subject Index of Volume 310 465